

# Human Genetics

**Volume 100 1997**

---

## **Editorial Board**

D. N. Cooper, Cardiff  
A. G. Motulsky, Seattle  
Y. Nakamura, Tokyo  
R. L. Nussbaum, Bethesda

K. Sperling, Berlin  
F. Vogel, Heidelberg  
U. Wolf, Freiburg i. Br.

## **Advisory Board**

S. E. Antonarakis, Geneva  
A. Ballabio, Milan and Siena  
M. P. Baur, Bonn  
A. Beaudet, Houston  
T. Cremer, München  
A. Czeizel, Budapest  
C. Distèche, Seattle  
J. T. Epplen, Bochum  
C. J. Epstein, San Francisco  
M. Fraccaro, Pavia  
U. Francke, Stanford  
S. Gartler, Seattle  
K.-H. Grzeschik, Marburg  
J. G. Hall, Vancouver  
H. Hoehn, Würzburg  
J. Horst, Münster  
B. Horsthemke, Essen  
P. A. Jacobs, Salisbury  
Y. W. Kan, San Francisco  
H. H. Kazazian, Jr., Baltimore  
M. Krawczak, Cardiff  
W. Krone, Ulm

J.-M. Lalouel, Salt Lake City  
H. Lehrach, Berlin  
M. Mikkelsen, Glostrup  
O. J. Miller, Detroit  
U. Müller, Giessen  
A. Munnich, Paris  
M. Olson, Seattle  
J. Ott, New York  
E. Passarge, Essen  
P. Propping, Bonn  
H.-H. Ropers, Berlin  
A. Schinzel, Zurich  
J. Schmidtke, Hannover  
C. R. Scriver, Montreal  
J. Spranger, Mainz  
G. R. Sutherland, North Australia  
G. Utermann, Innsbruck  
W. Vogel, Ulm  
D. Warburton, New York  
B. Wieringa, Nijmegen  
E. Wijsman, Seattle  
B. Zabel, Mainz



**Springer**

# Human Genetics

Human Genetics was founded in 1964 and published up to Vol. 30 as Humangenetik – Human Genetics – Génétique humaine

## Copyright

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher; and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), all translation rights as well as the rights to publish the article in any electronic form. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, on video disks, etc., without prior written consent from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

*While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.*

*Special regulations for photocopies in the USA: Photocopies may be made for personal or in-house use beyond the limita-*

tions stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0340-6717, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not extend to copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

The Canada Institute for Scientific and Technical Information (CISTI) provides a comprehensive, world-wide document delivery service for all Springer-Verlag journals. For more information, or to place an order for a copyright-cleared Springer-Verlag document, please contact Client Assistant, Document Delivery, Canada Institute for Scientific and Technical Information, Ottawa K1A 0S2, Canada (Tel.: (613) 993-9251; Fax: (613) 952-8243; e-mail: cisti.docdel@nrc.ca).

This journal is included in the Springer Journals Preview Service, i.e. the tables of contents and BiblioAbstracts are available via Internet several weeks before the new issue reaches the subscribers. Tables of contents are free of charge; BiblioAbstracts are available for a small annual fee. Details can be obtained by sending an e-mail message containing the line help to [svjps@vax.ntp.springer.de](mailto:svjps@vax.ntp.springer.de).

## Printers

Schneider Druck GmbH,  
Rothenburg ob der Tauber, Germany  
© Springer-Verlag Berlin Heidelberg 1997  
Springer-Verlag GmbH & Co. KG,  
Berlin, Germany  
Printed in Germany



Springer



# Contents of Volume 100 • 1997

- Abraham MR → Margolis RL  
 Allan Larsen L, Grønsvold K, Nørgaard-Pedersen B, Brøndum-Nielsen K, Hasholt L, Vuust J: High-throughput analysis of Fragile X (CGG)<sub>n</sub> alleles in the normal and premutation range by PCR amplification and automated capillary electrophoresis 564  
 Anagnou NP → Kostas T  
 Angeletti B → Battiloro E  
 Annerén G → Arnell H  
 Antonarakis SE → Bartsch O  
 Antonarakis SE → Mittaz L  
 Anvret M → Lundin G  
 Aquaron R → Puri N  
 Arai H → Kimpara T  
 Arnell H, Nemeth A, Annerén G, Dahl N: Progressive familial intrahepatic cholestasis (PFIC): evidence for genetic heterogeneity by exclusion of linkage to chromosome 18q21-q22 378  
 Arnemann J → Cowley CME  
 Arranz MJ → Gutiérrez B  
 Assmann G → Schulze-Bahr E  
 Assum G → Kehrer-Sawatzki H  
 Aula P → Lauteala T  
 Aula P → Silander K  
 Aulehla-Scholz C → Dörk T  
 Avramopoulos D → Bartsch O
- Baden R → Kehrer-Sawatzki H  
 Badenas C → Milà M  
 Baizhu → Huang S  
 Bakker E → Oosterwijk JC  
 Balakrishnan J → Hergersberg M  
 Bamezai R → Kaur G  
 Bamezai R → Sachdeva G  
 Barbujani G → Bertorelle G  
 Bardenheuer W → Lux A  
 Bardien S → Ramesar RS  
 Barrai I, Scapoli C, Beretta M, Nesti C, Mamolini E, Rodríguez-Larralde A: Isolation by distance in Germany 684  
 Bartsch O, Hinkel GK, Petersen MB, König U, Bugge M, Mikkelsen M, Avramopoulos D, Morris M, Antonarakis SE: A large family with subtelomeric translocation t(18;21)(q23;q22.1) and molecular breakpoint in the Down syndrome critical region 669  
 Basdevant A → Francke S  
 Battiloro E, Angeletti B, Tozzi MC, Bruni L, Tondini S, Vignetti P, Verna R, D'Ambrosio E: A novel double nucleotide substitution in the HMG box of the SRY gene associated with Swyer syndrome 585  
 Beck JA → Katsanis N  
 Behn P → Francke S  
 Beighton P → Ramesar RS  
 Belloni E → Roessler E  
 Beretta M → Barrai I  
 Berg MH van den, Wilde AAM, Robles de Medina EO, Meyer H, Geelen JLMC, Jongbloed RJE, Wellens HJJ, Geraedts JPM: The long QT syndrome: a novel missense mutation in the S6 region of the KVLQT1 gene 356  
 Berge Henegouwen GP van → Sinke RJ  
 Berger R → Sinke RJ  
 Berkel AI → Petry F  
 Bernini LF → Harteveld KL  
 Berry SM → Zheng Y-L  
 Bertorelle G, Barbujani G: Expected effects of mass screening policies on the frequency of cystic fibrosis homozygotes 666  
 Bertranpetit J → Gutiérrez B  
 Besmond C → Helley D  
 Bettecken T → Hergersberg M  
 Betti R → Urbani CE  
 Bezeaud A → Helley D  
 Bhutani LK → Kaur G  
 Bhutani LK → Sachdeva G  
 Bianchi DW → Zheng Y-L  
 Bieber-Martig B → Klauck SM  
 Bijleveld CMA → Sinke RJ  
 Bischoff FZ → Shin J-C  
 Black FL, Pandey JP: Evidence for balancing of KM, but not GM, alleles by heterotic advantage in South Amerinds 240  
 Blennow E → Kedra D  
 Boccazzi C → Brusco A  
 Böhm I → Dörk T  
 Boltshauser E → Kleinle S  
 Bolund L → Brandt CA  
 Bona G → Giordano M  
 Booms P, Withers AP, Boxer M, Kaufmann UC, Hagemeyer C, Vetter U, Robinson PN: A novel *de novo* mutation in exon 14 of the fibrillin-1 gene associated with delayed secretion of fibrillin in a patient with a mild Marfan phenotype 195  
 Borggreve M → Schulze-Bahr E  
 Borkowsky W → Hirschhorn R  
 Bosco P → Cali F  
 Boxer M → Booms P  
 Brägger C → Hergersberg M  
 Brandt CA, Lüdecke H-J, Hindkjær J, Strømkjær H, Pintel D, Herlin T, Bolund L, Friedrich U: A *de novo* complex t(7;13;8) translocation with a deletion in the TRPS gene region 334  
 Breithardt G → Schulze-Bahr E  
 Brenden M → Weg-Remers S  
 Breschel TS → Margolis RL  
 Brilliant MH → Puri N  
 Bröcker F → Lux A  
 Brown MD → Lell JT  
 Bruckner-Tuderman L → Scheffer H  
 Brun C → Milà M  
 Bruni L → Battiloro E  
 Brusco A, Cinque F, Saviozzi S, Boccazzi C, DeMarchi M, Carbonara AO: The G4 gene is duplicated in 44% of human immunoglobulin heavy chain constant region haplotypes 84  
 Bryer A → Ramesar RS  
 Brøndum-Nielsen K → Allan Larsen L  
 Budowle B → Wilson MR  
 Bugge M → Bartsch O  
 Bull L → Sinke RJ  
 Burger R → Hergersberg M
- Buxton RS → Cowley CME  
 Buys CHCM → Scheffer H
- Cali F, Dianzani I, Desviat LR, Perez B, Ugarte M, Ozguc M, Seyrantepe V, Shiloh Y, Giannattasio S, Carducci C, Bosco P, De Leo G, Piazza A, Romano V: The STR252 – IVS10nt546 – VNTR7 phenylalanine hydroxylase minihaplotype in five Mediterranean samples 350  
 Callahan C → Margolis RL  
 Calzolari E → Clementi M  
 Carbonara AO → Brusco A  
 Carducci C → Cali F  
 Carles S → Desgeorges M  
 Carlton VEH → Sinke RJ  
 Carmo-Fonseca M → Parreira L  
 Castellví-Bel S → Milà M  
 Cervos-Navarro J → Zühlke C  
 Chabás A → Cormand B  
 Chang J-G, Jong Y-J, Lin S-P, Soong B-W, Tsai C-H, Yang T-Y, Chang C-P, Wang W-S: Molecular analysis of survival motor neuron (SMN) and neuronal apoptosis inhibitory protein (NAIP) genes of spinal muscular atrophy patients and their parents 577  
 Chang C-P → Chang J-G  
 Chen F-R → Ko Y-L  
 Chen W-J → Ko Y-L  
 Cheng N-J → Ko Y-L  
 Chevalier-Portet F → Hergersberg M  
 Chiang C-W → Ko Y-L  
 Chiorboli E → Giordano M  
 Chu P-H → Ko Y-L  
 Cinque F → Brusco A  
 Clark M → Kedra D  
 Claustres M → Desgeorges M  
 Clement K → Francke S  
 Clementi M, Tenconi R, Forabosco P, Calzolari E, Milan M: Inheritance of cleft palate in Italy. Evidence for a major autosomal recessive locus 204  
 Closs E → Lauteala T  
 Col J-Y → Mornet E  
 Collier D → Gutiérrez B  
 Copeland D → Zheng Y-L  
 Cormand B, Montfort M, Chabás A, Vilageliu L, Grinberg D: Genetic fine localization of the  $\beta$ -glucocerebrosidase (GBA) and prosaposin (PSAP) genes: implications for Gaucher disease 75  
 Cotton RGH → Ikeda H  
 Cowley CME, Simrak D, Spurr NK, Arnemann J, Buxton RS: The plakophilin 1 (PKP1) and plakoglobin (JUP) genes map to human chromosomes 1q and 17, respectively 486  
 Craig JM, Kraus J, Cremer T: Removal of repetitive sequences from FISH probes using PCR-assisted affinity chromatography 472  
 Cremer T → Craig JM  
 Cui X, Li H: Discriminating between allelic and interlocus differences among human immunoglobulin V<sub>H</sub>4 sequences by analyzing single spermatozoa 96  
 Cunningham J → Lauteala T



- Dahl H-HM → Ikeda H  
 Dahl N → Arnell H  
 D'Ambrosio E → Battiloro E  
 Davenport M → Hando JC  
 David V → Jouanolle AM  
 De Abreu RA → Vreken P  
 De Leo G → Cali F  
 Delezoide A-L → Mornet E  
 Delhaas T → Sinke RJ  
 Demaille J → Desgeorges M  
 DeMarchi M → Brusco A  
 DeMaria MA → Zheng Y-L  
 Desgeorges M, Mégarbané A, Guittard C, Carles S, Loiselet J, Demaille J, Claustres M: Cystic fibrosis in Lebanon: distribution of CFTR mutations among Arab communities 279  
 Desviat LR → Cali F  
 Deuter R → Nimmrich I  
 Dianzani I → Cali F  
 Dina C → Francke S  
 DiZinno JA → Wilson MR  
 Dobbs M → Ikeda H  
 Donnai D → Roessler E  
 Dörk T, Dworniczak B, Aulehla-Scholz C, Wiecezorek D, Böhm I, Mayerova A, Seydewitz HH, Nieschlag E, Meschede D, Horst J, Pander H-J, Sperling H, Ratjen F, Passarge E, Schmidtke J, Stuhmann M: Distinct spectrum of CFTR gene mutations in congenital absence of vas deferens 365  
 Drayna D → Matsumoto T  
 Dryja TP, Morrow JF, Rapaport JM: Quantification of the paternal allele bias for new germline mutations in the retinoblastoma gene 446  
 Duba H-C, Weirich HG, Weirich-Schwaiger H, Utermann B, Nachbaur D, Sölder E, Utermann G: Chromosomal instability in a woman with infertility and two unaffected brothers: a new familial chromosomal breakage syndrome? 431  
 Ducrocq R → Helley D  
 Dumanski J → Kedra D  
 Duncan AMV → Hoag HM  
 Durham-Pierre D → Puri N  
 Dworniczak B → Dörk T  
 Eggermann K → Eggermann T  
 Eggermann T, Wollmann HA, Kuner R, Eggermann K, Enders H, Kaiser P, Ranke MB: Molecular studies in 37 Silver-Russell syndrome patients: frequency and etiology of uniparental disomy 415  
 Eigel A → Tavassoli K  
 Eiken HG → Zschocke J  
 Einschenk I → Hergersberg M  
 Elias S → Shin J-C  
 Elion J → Helley D  
 Enders H → Eggermann T  
 Engel M → Seifert M  
 Engel W → Guttenbach M  
 Engh G van den → Mefford H  
 Estivill X → Milà M  
 Evans MI → Zheng Y-L  
 Fahsold R → Kehrer-Sawatzki H  
 Fañanás L → Gutiérrez B  
 Fergelot P → Jouanolle AM  
 Ferguson-Smith MA → Lee C  
 Ferguson-Smith MA → Müller S  
 Fernie BA, Hobart MJ: An unusual combined insertion/deletion polymorphism in intron 10 of the human complement C6 gene 104  
 Fischer C → Huang S  
 Fisher EMC → Katsanis N  
 Fisher RB → Lee C  
 Forabosco P → Clementi M  
 Foy CA, Rice GI, Ossei-Gerning N, Mansfield MW, Grant PJ: Angiotensin-converting enzyme (ACE) gene polymorphisms in patients characterised by coronary angiography 420  
 Francke S, Clement K, Dina C, Inoue H, Behn P, Vatin V, Basdevant A, Guy-Grand B, Permutt MA, Froguel P, Hager J: Genetic studies of the leptin receptor gene in morbidly obese French Caucasian families 491  
 Fransson I → Kedra D  
 Freimer NB → Sinke RJ  
 Friedl W → Nimmrich I  
 Friedl W → Wang Y  
 Friedman C → Mefford H  
 Friedrich U → Brandt CA  
 Froguel P → Francke S  
 Fukami M → Rao E  
 Fukumaki Y → Furuya H  
 Fukushige S → Suzuki A  
 Fukushima Y → Hatada I  
 Fukuyama H → Furuya H  
 Funke H → Schulze-Bahr E  
 Furuichi Y → Matsumoto T  
 Furuya H, Kukita Y, Nagano S, Sakai Y, Yamashita Y, Fukuyama H, Inatomi Y, Saito Y, Koike R, Tsuji S, Fukumaki Y, Hayashi K, Kobayashi T: Adult onset globoid cell leukodystrophy (Krabbe disease): analysis of galactosylceramidase cDNA from four Japanese patients 450  
 Gabreëls FJM → Verrips A  
 Gandon G → Jouanolle AM  
 Garcia-Garcia R → Steinmüller R  
 Garcia-Heras J → Rao E  
 Garrett L → Lavedan CN  
 Gatchell SB → Margolis RL  
 Gaudenz K → Roessler E  
 Gedde-Dahl T Jr → Scheffer H  
 Geelen JLMC → Berg MH van den  
 Gehlken U → Zühlke C  
 Geraedts JPM → Berg MH van den  
 Giacanelli M → Wirth B  
 Giannattasio S → Cali F  
 Giordano M, Marchetti C, Chiorboli E, Bona G, Momigliano Richiardi P: Evidence for gene conversion in the generation of extensive polymorphism in the promoter of the growth hormone gene 249  
 Giordano PC → Harteveld KL  
 Goto M → Matsumoto T  
 Gough T → Ikeda H  
 Grant PJ → Foy CA  
 Greenbaum IF → McAllister BF  
 Grinberg D → Cormand B  
 Grønskov K → Allan Larsen L  
 Guerra LK → Weg-Remers S  
 Guillamat R → Gutiérrez B  
 Guillin M-C → Helley D  
 Guittard C → Desgeorges M  
 Gustashaw KM → Wolff DJ  
 Gutiérrez B, Bertranpetit J, Collier D, Arranz MJ, Vallès V, Guillamat R, Van Os J, Fañanás L: Genetic variation of the 5-HT<sub>2A</sub> receptor gene and bipolar affective disorder 582  
 Guttenbach M, Engel W, Schmid M: Analysis of structural and numerical chromosome abnormalities in sperm of normal men and carriers of constitutional chromosome aberrations. A review 1  
 Guy-Grand B → Francke S  
 Haberhausen G → Peters U  
 Hagemeier C → Booms P  
 Hager J → Francke S  
 Hahnen E → Wirth B  
 Hamman RF → Sanghera DK  
 Hando JC, Tucker JD, Davenport M, Tepperberg J, Nath J: X chromosome inactivation and micronuclei in normal and Turner individuals 624  
 Hansen MF → Schubert EL  
 Harpold MM → Taviaux S  
 Harteveld KL, Losekoot M, Heister AJGAM, Wielen M van der, Giordano PC, Bernini LF:  $\alpha$ -Thalassemia in The Netherlands: a heterogeneous spectrum of both deletions and point mutations 465  
 Harth W → Oosterwijk JC  
 Hartmann D → Weg-Remers S  
 Hasholt L → Allan Larsen L  
 Hatada I, Nabetani A, Morisaki H, Xin Z, Ohishi S, Tonoki H, Niikawa N, Inoue M, Komoto Y, Okada A, Steichen E, Ohashi H, Fukushima Y, Nakayama M, Mukai T: New p57<sup>KIP2</sup> mutations in Beckwith-Wiedemann syndrome 681  
 Hattum J van → Sinke RJ  
 Havekes LM → Peeters AV  
 Haverkamp W → Schulze-Bahr E  
 Hayashi K → Furuya H  
 Heinrich U → Rao E  
 Heister AJGAM → Harteveld KL  
 Hellenbroich Y → Zühlke C  
 Helley D, Besmond C, Ducrocq R, Silva F da, Guillin M-C, Bezeaud A, Elion J: Polymorphism in exon 10 of the human coagulation factor V gene in a population at risk for sickle cell disease 245  
 Hentsch S → Nimmrich I  
 Hergersberg M, Balakrishnan J, Bettecken T, Chevalier-Porst F, Brägger C, Burger R, Einschenk I, Liechti-Gallati S, Morris M, Schorderet D, Thonney F, Moser H, Malik N: A new mutation, 3905insT, accounts for 4.8% of 1173 CF chromosomes in Switzerland and causes a severe phenotype 220  
 Herlin T → Brandt CA  
 Hernandez R → Parreira L  
 Heuvel LPWJ van den → Verrips A  
 High AS → Lench NJ  
 Higuchi M → Mittaz L  
 Higuchi S → Kimpara T  
 Hilbert K → Wüchner C  
 Hilgert K → Seifert M  
 Hindkjaer J → Brandt CA



- Hinkel GK → Bartsch O  
Hirschhorn R, Borkowsky W, Jiang CK, Yang DR, Jenkins T: Two newly identified mutations (Thr233Ile and Leu152Met) in partially adenosine deaminase-deficient (ADA<sup>-</sup>) individuals that result in differing biochemical and metabolic phenotypes 22  
Hoag HM, Taylor SAM, Duncan AMV, Khalifa MM: Evidence that skewed X inactivation is not needed for the phenotypic expression of Aicardi syndrome 459  
Hobart MJ → Fernie BA  
Horáková J, Lukášová E 525  
Hördt M → Schulze-Bahr E  
Horelli-Kuitunen N → Lauteala T  
Horie A → Suzuki A  
Horneck G, Lukášová E 525  
Horst J → Dörk T  
Horst J → Tavassoli K  
Houwen RHJ → Sinke RJ  
Hsieh M, Tsai H-F, Lu T-M, Yang C-Y, Wu H-M, Li S-Y: Studies of the CAG repeat in the Machado-Joseph disease gene in Taiwan 155  
Hsu T-S → Ko Y-L  
Huang S, Zhu Yu, Li H, Labu, Baizhu, Lo WHY, Fischer C, Vogel F: Another pedigree with pure autosomal dominant spastic paraplegia (AD-FSP) from Tibet mapping to 14q11.2-q24.3 620  
Ichikawa K → Matsumoto T  
Ihara Y → Namekata K  
Ikawa S → Kimpara T  
Ikeda H, Matsubara Y, Mikami H, Kure S, Owada M, Gough T, Smooker PM, Dobbs M, Dahl H-HM, Cotton RGH, Narisawa K: Molecular analysis of dihydropteridine reductase deficiency: identification of two novel mutations in Japanese patients 637  
Imagawa M → Namekata K  
Imamura O → Matsumoto T  
Inatomi Y → Furuya H  
Inoue H → Francke S  
Inoue M → Hatada I  
Issakainen J → Silander K  
Itoyama Y → Kimpara T  
Jagell S → Sillén A  
Jain PK → Verma IC  
Jakubiczka S → Kloos D-U  
Jenkins T → Hirschhorn R  
Jiang CK → Hirschhorn R  
Jiménez D → Milà M  
Jong Y-J → Chang J-G  
Jongbloed RJE → Berg MH van den  
Jonkman MF → Scheffer H  
Jouanolle AM, Fergelot P, Gandon G, Yaouanq J, Le Gall JY, David V: A candidate gene for hemochromatosis: frequency of the C282Y and H63D mutations 544  
Juijn JA → Sinke RJ  
Jülicher K → Lux A  
Juvonen V → Silander K  
Kaiser P → Eggermann T  
Kamboh MI → Sanghera DK  
Kartheuser A → Walon C  
Kataoka H → Matsumoto T  
Katsanis N, Beck JA, Fisher EMC: Mapping of a novel SH3 domain protein and two proteins of unknown function to human chromosome 21 477  
Kaufmann UC → Booms P  
Kaur G → Sachdeva G  
Kaur G, Sachdeva G, Bhutani LK, Bamezai R: Association of polymorphism at COL3A and CTLA4 loci on chromosome 2q31-33 with the clinical phenotype and in-vitro CMI status in healthy and leprosy subjects: a preliminary study 43  
Kedra D, Seroussi E, Fransson I, Trifunovic J, Clark M, Lagercrantz J, Blennow E, Mehlin H, Dumanski J: The germinal center kinase gene and a novel CDC25-like gene are located in the vicinity of the PYGM gene on 11q13 611  
Kehrer-Sawatzki H, Schwickardt T, Assum G, Rocchi M, Krone W: A third neurofibromatosis type 1 (NF1) pseudogene at chromosome 15q11.2 595  
Kehrer-Sawatzki H, Udart M, Krone W, Baden R, Fahsold R, Thomas G, Schmucker B, Assum G: Mutational analysis and expression studies of the neurofibromatosis type 2 (NF2) gene in a patient with a ring chromosome 22 and NF2 67  
Keller KM → Sinke RJ  
Khalifa MM → Hoag HM  
Kidwai AS → Margolis RL  
Kimpara T, Takeda A, Watanabe K, Itoyama Y, Ikawa S, Watanabe M, Arai H, Sasaki H, Higuchi S, Okita N, Takase S, Saito H, Takahashi K, Shibahara S: Microsatellite polymorphism in the human heme oxygenase-1 gene promoter and its application in association studies with Alzheimer and Parkinson disease 145  
King RA → Puri N  
Kitao S → Matsumoto T  
Kjeronská J, Lukášová E 525  
Klauck SM, Münstermann E, Bieber-Martig B, Rühl D, Lisch S, Schmötzer G, Poustka A, Poustka F: Molecular genetic analysis of the FMR-1 gene in a large collection of autistic patients 224  
Kleinle S, Wiesmann U, Superti-Furga A, Krähenbühl S, Boltshauser E, Reichen J, Liechti-Gallati S: Detection and characterization of mitochondrial DNA rearrangements in Pearson and Kearns-Sayre syndromes by long PCR 643  
Kloos D-U, Jakubiczka S, Wienker T, Wolff G, Wieacker P: Localization of the gene for Wieacker-Wolff syndrome in the pericentromeric region of the X chromosome 426  
Knol IE → Sinke RJ  
Ko L → Wolff DJ  
Ko Y-L, Ko Y-S, Wang S-M, Chu P-H, Teng M-S, Cheng N-J, Chen W-J, Hsu T-S, Kuo C-T, Chiang C-W, Lee Y-S: Angiotensinogen and angiotensin-I converting enzyme gene polymorphisms and the risk of coronary artery disease in Chinese 210  
Ko Y-L, Ko Y-S, Wu S-M, Teng M-S, Chen F-R, Hsu T-S, Chiang C-W, Lee Y-S: Interaction between obesity and genetic polymorphisms in the apolipoprotein CIII gene and lipoprotein lipase gene on the risk of hypertriglyceridemia in Chinese 327  
Ko Y-S → Ko Y-L  
Kobayashi T → Furuya H  
Kofman-Alfaro S → Zenteno JC  
Koike R → Furuya H  
Komoto Y → Hatada I  
König U → Bartsch O  
Kosteas T, Palena A, Anagnou NP: Molecular cloning of the breakpoints of the hereditary persistence of fetal hemoglobin type-6 (HPFH-6) deletion and sequence analysis of the novel juxtaposed region from the 3' end of the  $\beta$ -globin gene cluster 441  
Kostrzewa M → Peters U  
Kostrzewa M → Steinmüller R  
Kotze MJ → Peeters AV  
Kotze MJ, Villiers JNP de, Loubser O, Thiant R, Scholtz CL, Raal FJ: A double mutant LDL receptor allele in a Cypriot family with heterozygous familial hypercholesterolemia 101  
Kozubek M, Lukášová E 525  
Kozubek S, Lukášová E 525  
Krähenbühl S → Kleinle S  
Krahulcová E, Lukášová E 525  
Kraus J → Craig JM  
Kristensen T → Sanghera DK  
Krone W → Kehrer-Sawatzki H  
Kruse R → Nimrich I  
Kruse R → Wang Y  
Kukita Y → Furuya H  
Kuner R → Eggermann T  
Kuo C-T → Ko Y-L  
Kure S → Ikeda H  
Kuromitsu J → Matsumoto T  
Kølvraa S → Therkelsen AJ  
Labu → Huang S  
Lagercrantz J → Kedra D  
Lamberti C → Wang Y  
Lannoy N → Walon C  
Lantigua-Cruz A → Steinmüller R  
Lauteala T, Horelli-Kuitunen N, Closs E, Savontaus M-L, Lukkarienen M, Simell O, Cunningham J, Palotie A, Aula P: Human cationic amino acid transporter gene hCAT-2 is assigned to 8p22 but is not the causative gene in lysinuric protein intolerance 80  
Lavedan CN, Garrett L, Nussbaum RL: Trinucleotide repeats (CGG)<sub>22</sub>TGG(CGG)<sub>43</sub>TGG(CGG)<sub>21</sub> from the fragile X gene remain stable in transgenic mice 407  
Le Gall JY → Jouanolle AM  
Lee C, Wevrick R, Fisher RB, Ferguson-Smith MA, Lin CC: Human centromeric DNAs 291  
Lee J-S → Lundin G  
Lee Y-S → Ko Y-L  
Lell JT, Brown MD, Schurr TG, Sukernik RI, Starikovskaya YB, Torroni A, Moore LG, Troup GM, Wallace DC: Y chromosome polymorphisms in Native American and Siberian populations:



- identification of Native American Y chromosome haplotypes 536
- Lench NJ, Telford EAR, High AS, Markham AF, Wicking C, Wainwright BJ: Characterisation of human *patched* germ line mutations in naevoid basal cell carcinoma syndrome 497
- Lenvoisé-Furet A → Mornet E
- Li H → Cui X
- Li H → Huang S
- Li S-H → Margolis RL
- Li S-Y → Hsieh M
- Liechti-Gallati S → Hergersberg M
- Liechti-Gallati S → Kleinle S
- Liguori M → Wirth B
- Lima MT → Weg-Remers S
- Lin CC → Lee C
- Lin S-P → Chang J-G
- Lisch S → Klauck SM
- Lo WHY → Huang S
- Loiselet J → Desgeorges M
- Lombardi MPR → Peeters AV
- Loos M → Petry F
- López M → Zenteno JC
- Lory P, Ophoff RA, Nahmias J: Towards a unified nomenclature describing voltage-gated calcium channel genes 149
- Lory P → Taviaux S
- Losekoot M → Hartevelde KL
- Loubser O → Kotze MJ
- Lu T-M → Hsieh M
- Lüdecke H-J → Brandt CA
- Lukášová E, Kozubek S, Kozubek M, Kjeronská J, Rýznar L, Horáková J, Krahulcová E, Horneck G: Localisation and distance between ABL and BCR genes in interphase nuclei of bone marrow cells of control donors and patients with chronic myeloid leukaemia 525
- Lukkarinen M → Lauteala T
- Lund PM → Puri N
- Lundin G, Lee J-S, Thunell S, Anvret M: Genetic investigation of the porphobilinogen deaminase gene in Swedish acute intermittent porphyria families 63
- Lux A, Bardenheuer W, Michael D, Bröcker F, Jülicher K, Vieten L, Michaelis S, Seeber S, Opalka B, Schütte J: Identification of novel 'expressed sequence tags' within the FHIT gene locus in human chromosome region 3p14.2 90
- Luyten JAFM → Verrips A
- Malik N → Hergersberg M
- Mallory JP → Zschocke J
- Mamolini E → Barrai I
- Mansfield MW → Foy CA
- Marchetti C → Giordano M
- Margolis RL, Abraham MR, Gatchell SB, Li S-H, Kidwai AS, Breschel TS, Stine OC, Callahan C, McInnis MG, Ross CA: cDNAs with long CAG trinucleotide repeats from human brain 114
- Markham AF → Lench NJ
- Mason B → Matsumoto T
- Matsubara Y → Ikeda H
- Matsumoto T, Inamura O, Yamabe Y, Kuromitsu J, Tokutake Y, Shimamoto A, Suzuki N, Satoh M, Kitao S, Ichikawa K, Kataoka H, Sugawara K, Thomas W, Mason B, Tsuchihashi Z, Drayna D, Sugawara M, Sugimoto M, Furuichi Y, Goto M: Mutation and haplotype analyses of the Werner's syndrome gene based on its genomic structure: genetic epidemiology in the Japanese population 123
- Matsunuma A → Odawara M
- Mauff G → Weg-Remers S
- Mayerova A → Dörk T
- McAllister BF, Greenbaum IF: How common are common fragile sites: variation of aphidicolin-induced chromosomal fragile sites in a population of the deer mouse (*Peromyscus maniculatus*) 182
- McInnis MG → Margolis RL
- Meder J → Rao E
- Meerman GJ te → Scheffer H
- Mefford H, Engh G van den, Friedman C, Trask BJ: Analysis of the variation in chromosome size among diverse human populations by bivariate flow karyotyping 138
- Mégarbané A → Desgeorges M
- Mehlin H → Kedra D
- Meinsma R → Vreken P
- Méndez JP → Zenteno JC
- Meretoja P → Silander K
- Mertens G → Walon C
- Mertz A → Rao E
- Meschede D → Dörk T
- Messias IJT de → Weg-Remers S
- Meulen M van der → Scheffer H
- Meyer H → Berg MH van den
- Michael D → Lux A
- Michaelis S → Lux A
- Michils G → Walon C
- Mikami H → Ikeda H
- Mikkelsen M → Bartsch O
- Milá M, Sánchez A, Badenas C, Brun C, Jiménez D, Villa MP, Castellví-Bel S, Estivill X: Screening for FMR1 and FMR2 mutations in 222 individuals from Spanish special schools: identification of a case of FRAXE-associated mental retardation 503
- Milan M → Clementi M
- Mitchell-Leef D → Shin J-C
- Mittaz L, Antonarakis SE, Higuchi M, Scott HS: Localization of a novel human RNA-editing deaminase (hRED2 or ADARB2) to chromosome 10p15 398
- Momigliano Richiardi P → Giordano M
- Montfort M → Cormand B
- Moore LG → Lell JT
- Morisaki H → Hatada I
- Mornet E, Muller F, Lenvoisé-Furet A, Delezoide A-L, Col J-Y, Simon-Bouy B, Serre J-L: Screening of the C677T mutation on the methylenetetrahydrofolate reductase gene in French patients with neural tube defects 512
- Morris M → Bartsch O
- Morris M → Hergersberg M
- Morrow JF → Dryja TP
- Moser H → Hergersberg M
- Muenke M → Roessler E
- Mukai T → Hatada I
- Muller F → Mornet E
- Müller O → Nimmrich I
- Müller S, Rocchi M, Ferguson-Smith MA, Wienberg J: Toward a multicolor chromosome bar code for the entire human karyotype by fluorescence in situ hybridization 271
- Müller U → Peters U
- Müller U → Steinmüller R
- Münstermann E → Klauck SM
- Nabetani A → Hatada I
- Nachbaur D → Duba H-C
- Nagano S → Furuya H
- Nagase S → Suzuki A
- Nahmias J → Lory P
- Nakayama M → Hatada I
- Namekata K, Oyama F, Imagawa M, Ihara Y: Human transferrin (Tf): a single mutation at codon 570 determines Tf C1 or Tf C2 variant 457
- Nargeot J → Taviaux S
- Narisawa K → Ikeda H
- Nath J → Hando JC
- Nemeth A → Arnell H
- Nesti C → Barrai I
- Neves H → Parreira L
- Nevin NC → Zschocke J
- Ngounou P → Walon C
- Nguyen DD → Shin J-C
- Nielsen A → Therkelsen AJ
- Nieschlag E → Dörk T
- Niikawa N → Hatada I
- Nimmrich I, Friedl W, Kruse R, Pietsch S, Hentsch S, Deuter R, Winde G, Müller O: Loss of the *PLA2G2A* gene in a sporadic colorectal tumor of a patient with a *PLA2G2A* germline mutation and absence of *PLA2G2A* germline alterations in patients with FAP 345
- Nolte D → Peters U
- Nussbaum RL → Lavedan CN
- Nørgaard-Pedersen B → Allan Larsen L
- Odawara M, Matsunuma A, Yamashita K: Mistyping frequency of the angiotensin-converting enzyme gene polymorphism and an improved method for its avoidance 163
- Ogata T → Rao E
- Ohashi H → Hatada I
- Ohishi S → Hatada I
- Ohuchi N → Suzuki A
- Okada A → Hatada I
- Okita N → Kimpara T
- Ommen G-JB van → Oosterwijk JC
- Oosterwijk JC, Richard G, Wielen MJR van der, Vosse E van de, Harth W, Sandkuijl LA, Bakker E, Ommen G-JB van: Molecular genetic analysis of two families with keratosis follicularis spinulosa decalvans: refinement of gene localization and evidence for genetic heterogeneity 520
- Opalka B → Lux A
- Ophoff RA → Lory P
- Ossei-Gerning N → Foy CA
- Owada M → Ikeda H
- Oyama F → Namekata K
- Ozguc M → Cali F
- Palena A → Kosteas T
- Palotie A → Lauteala T
- Pander H-J → Dörk T
- Pandey JP → Black FL
- Parreira L, Telhada M, Ramos C, Hernandez R, Neves H, Carmo-Fonseca M:



- The spatial distribution of human immunoglobulin genes within the nucleus: evidence for gene topography independent of cell type and transcriptional activity 588
- Passarge E → Dörk T
- Pearson PL → Sinke RJ
- Peeters AV, Van Gaal LF, Plessis L du, Lombardi MPR, Havekes LM, Kotze MJ: Mutational and genetic origin of LDL receptor gene mutations detected in both Belgian and Dutch familial hypercholesterolemics 266
- Perez B → Cali F
- Permutt MA → Francke S
- Peters U, Haberhausen G, Kostrzewa M, Nolte D, Müller U: *AFX1* and *p54<sup>nrb</sup>*: fine mapping, genomic structure, and exclusion as candidate genes of X-linked dystonia parkinsonism 569
- Petersen MB → Bartsch O
- Petry F, Berkel AI, Loos M: Multiple identification of a particular type of hereditary C1q deficiency in the Turkish population: review of the cases and additional genetic and functional analysis 51
- Petzel-Erler ML → Weg-Remers S
- Piazza A → Cali F
- Pickartz H → Zühlke C
- Pietsch S → Nimmrich I
- Pihko H → Silander K
- Pinkel D → Brandt CA
- Plessis L du → Peeters AV
- Ploos van Amstel H-K → Sinke RJ
- Polansky D → Wilson MR
- Pollmann H → Tavassoli K
- Poustka A → Klauck SM
- Poustka F → Klauck SM
- Propping P → Wang Y
- Puri N, Durham-Pierre D, Aquaron R, Lund PM, King RA, Brilliant MH: Type 2 oculocutaneous albinism (OCA2) in Zimbabwe and Cameroon: distribution of the 2.7-kb deletion allele of the P gene 651
- Raal FJ → Kotze MJ
- Ramesar RS, Bardin S, Beighton P, Bryer A: Expanded CAG repeats in spinocerebellar ataxia (SCA1) segregate with distinct haplotypes in South African families 131
- Ramos C → Parreira L
- Ranke MB → Eggermann T
- Rao E, Weiss B, Fukami M, Mertz A, Meder J, Ogata T, Heinrich U, Garcia-Heras J, Schiebel K, Rappold GA: FISH-deletion mapping defines a 270-kb short stature critical interval in the pseudoautosomal region PAR1 on human sex chromosomes 236
- Rapaport JM → Dryja TP
- Rappold GA → Rao E
- Raschke H → Wirth B
- Ratjen F → Dörk T
- Rehfeldt IR → Weg-Remers S
- Reichen J → Kleinle S
- Replogle J → Wilson MR
- Rice GI → Foy CA
- Richard G → Oosterwijk JC
- Robinson PN → Booms P
- Robles de Medina EO → Berg MH van den
- Rocchi M → Kehrer-Sawatzki H
- Rocchi M → Müller S
- Rodriguez-Larralde A → Barrai I
- Roessler E, Ward DE, Gaudenz K, Belloni E, Scherer SW, Donnai D, Siegel-Bartelt J, Tsui L-C, Muenke M: Cytogenetic rearrangements involving the loss of the *Sonic Hedgehog* gene at 7q36 cause holoprosencephaly 172
- Romano V → Cali F
- Ross CA → Margolis RL
- Ross HL → Shin J-C
- Rubie C → Schulze-Bahr E
- Rudnik-Schöneborn S → Wirth B
- Ruelfs C → Wang Y
- Rühl D → Klauck SM
- Rýznar L, Lukášová E 525
- Sachdeva G → Kaur G
- Sachdeva G, Kaur G, Bhutani LK, Bamezai R: Genetic variations at the T cell receptor  $\gamma$  locus in circulating peripheral blood mononuclear cells of clinically categorised leprosy patients 30
- Saito H → Kimpara T
- Saito Y → Furuya H
- Sakai Y → Furuya H
- Sánchez A → Milà M
- Sandkuijl LA → Oosterwijk JC
- Sanghera DK, Kristensen T, Hamman RF, Kamboh MI: Molecular basis of the apolipo- protein H ( $\beta_2$ -glycoprotein I) protein polymorphism 57
- Sasaki H → Kimpara T
- Satoh M → Matsumoto T
- Satomi S → Suzuki A
- Saviozzi S → Brusco A
- Savontaus M-L → Lauteala T
- Savontaus M-L → Silander K
- Saxena R → Verma IC
- Scapoli C → Barrai I
- Schaaff F → Zühlke C
- Scheffer H, Stulp RP, Verlind E, Meulen M van der, Bruckner-Tuderman L, Gedde-Dahl T Jr, Meerman GJ te, Sonnenberg A, Buys CHCM, Jonkman MF: Implications of intragenic marker homozygosity and haplotype sharing in a rare autosomal recessive disorder: the example of the collagen type XVII (COL17A1) locus in generalised atrophic benign epidermolysis bullosa 230
- Scherer SW → Roessler E
- Schiebel K → Rao E
- Schmid M → Guttenbach M
- Schmidtke J → Dörk T
- Schmötzer G → Klauck SM
- Schmucker B → Kehrer-Sawatzki H
- Schneider PM → Weg-Remers S
- Scholtz CL → Kotze MJ
- Schorderet D → Hergersberg M
- Schubert EL, Strong LC, Hansen MF: A splicing mutation in RB1 in low penetrance retinoblastoma 557
- Schubert T → Zühlke C
- Schulze-Bahr E, Haverkamp W, Wedekind H, Rubie C, Hördt M, Borggreffe M, Assmann G, Breithardt G, Funke H: Autosomal recessive long-QT syndrome (Jervell Lange-Nielsen syndrome) is genetically heterogeneous 573
- Schurr TG → Lell JT
- Schütte J → Lux A
- Schwartz S → Wolff DJ
- Schwarz E → Weg-Remers S
- Schwickardt T → Kehrer-Sawatzki H
- Schwinger E → Zühlke C
- Scott HS → Mittaz L
- Seeber S → Lux A
- Seib T → Seifert M
- Seifert M, Theisinger B, Engel M, Seib T, Seitz G, Stolte M, Hilgert K, Welter C: Isolation and characterization of new microsatellites at the nm23-H1 and nm23-H2 gene loci and application for loss of heterozygosity (LOH) analysis 515
- Seitz G → Seifert M
- Seroussi E → Kedra D
- Serre J-L → Mornet E
- Seydewitz HH → Dörk T
- Seyran-tepe V → Cali F
- Shibahara S → Kimpara T
- Shiloh Y → Cali F
- Shimamoto A → Matsumoto T
- Shin J-C, Ross HL, Elias S, Nguyen DD, Mitchell-Leef D, Simpson JL, Bischoff FZ: Detection of chromosomal aneuploidy in endometriosis by multi-color fluorescence in situ hybridization (FISH) 401
- Siegel-Bartelt J → Roessler E
- Silander K, Meretoja P, Pihko H, Juvonen V, Issakainen J, Aula P, Savontaus M-L: Screening for connexin 32 mutations in Charcot-Marie-Tooth disease families with possible X-linked inheritance 391
- Sillén A, Jagell S, Wadelius C: A mis-sense mutation in the FALDH gene identified in Sjögren-Larsson syndrome patients originating from the northern part of Sweden 201
- Silva F da → Helley D
- Simell O → Lauteala T
- Simon-Bouy B → Mornet E
- Simpson JL → Shin J-C
- Simrak D → Cowley CME
- Sinaasappel M → Sinke RJ
- Sinke RJ, Carlton VEH, Juijn JA, Delhaas T, Bull L, Berge Henegouwen GP van, Hattum J van, Keller KM, Sinaasappel M, Bijleveld CMA, Knol IE, Ploos van Amstel H-K, Pearson PL, Berger R, Freimer NB, Houwen RHJ: Benign recurrent intrahepatic cholestasis (BRIC): evidence of genetic heterogeneity and delimitation of the BRIC locus to a 7-cM interval between D18S69 and D18S64 382
- Smaers M → Walon C
- Smoker PM → Ikeda H
- Sölder E → Duba H-C
- Sonnenberg A → Scheffer H
- Soong B-W → Chang J-G
- Sperling H → Dörk T
- Spurr NK → Cowley CME
- Starikovskaya YB → Lell JT
- Steenbergen- Spanjers GCH → Verrips A
- Steichen E → Hatada I
- Steinberger D → Steinmüller R



- Steinmüller R, Lantigua-Cruz A, Garcia-Garcia R, Kostrzewa M, Steinberger D, Müller U: Evidence of a third locus in X-linked recessive spastic paraplegia 287
- Stine OC → Margolis RL
- Stolte M → Seifert M
- Strong LC → Schubert EL
- Strømkjær H → Brandt CA
- Stuhrmann M → Dörk T
- Stulp RP → Scheffer H
- Sugawara K → Matsumoto T
- Sugawara M → Matsumoto T
- Sugimoto M → Matsumoto T
- Sukernik RI → Lell JT
- Superti-Furga A → Kleinle S
- Suzuki A, Fukushima S, Nagase S, Ohuchi N, Satomi S, Horii A: Frequent gains on chromosome arms 1q and/or 8q in human endometrial cancer 629
- Suzuki N → Matsumoto T
- Takahashi K → Kimpara T
- Takase S → Kimpara T
- Takeda A → Kimpara T
- Tavassoli K, Eigel A, Pollmann H, Horst J: Mutational analysis of ectopic factor VIII transcripts from hemophilia A patients: identification of cryptic splice site, exon skipping and novel point mutations 508
- Taviaux S, Williams ME, Harpold MM, Nargeot J, Lory P: Assignment of human genes for  $\beta 2$  and  $\beta 4$  subunits of voltage-dependent  $\text{Ca}^{2+}$  channels to chromosomes 10p12 and 2q22-q23 151
- Taylor SAM → Hoag HM
- Telford EAR → Lench NJ
- Telhada M → Parreira L
- Tenconi R → Clementi M
- Teng M-S → Ko Y-L
- Tepperberg J → Hando JC
- Tessarolo D → Wirth B
- The European Consortium on MEN1: Linkage disequilibrium studies in multiple endocrine neoplasia type 1 (MEN1) 657
- The European Consortium on MEN1: Mapping of the gene encoding the B56 $\beta$  subunit of protein phosphatase 2A (PPP2R5B) to a 0.5-Mb region of chromosome 11q13 and its exclusion as a candidate gene for multiple endocrine neoplasia type 1 (MEN1) 481
- Theisinger B → Seifert M
- Therkelsen AJ, Nielsen A, Kølvrå S: Localisation of the classical DNA satellites on human chromosomes as determined by primed in situ labelling (PRINS) 322
- Thiart R → Kotze MJ
- Thomas E → Verma IC
- Thomas G → Kehrer-Sawatzki H
- Thomas W → Matsumoto T
- Thonney F → Hergersberg M
- Thunell S → Lundin G
- Tokutake Y → Matsumoto T
- Tondini S → Battiloro E
- Tonoki H → Hatada I
- Torroni A → Lell JT
- Tozzi MC → Battiloro E
- Trask BJ → Mefford H
- Trifunovic J → Kedra D
- Troup GM → Lell JT
- Tsai C-H → Chang J-G
- Tsai H-F → Hsieh M
- Tsuchihashi Z → Matsumoto T
- Tsui L-C → Roessler E
- Tsuji S → Furuya H
- Tucker JD → Hando JC
- Udart M → Kehrer-Sawatzki H
- Ugarte M → Cali F
- Urbani CE, Betti R: Supernumerary nipples occurring together with Becker's naevus: an association involving one common paradigmatic trait? 388
- Utermann B → Duba H-C
- Utermann G → Duba H-C
- Vallès V → Gutiérrez B
- Van Dyke DL → Wolff DJ
- Van Gaal LF → Peeters AV
- Van Gennip AH → Vreken P
- Van Kuilenburg ABP → Vreken P
- Van Os J → Gutiérrez B
- Vatin V → Francke S
- Vera C → Zenteno JC
- Verellen-Dumoulin C → Walon C
- Verlind E → Scheffer H
- Verma IC, Saxena R, Thomas E, Jain PK: Regional distribution of  $\beta$ -thalassaemia mutations in India 109
- Verna R → Battiloro E
- Verris A, Steenbergen- Spanjers GCH, Luyten JAFM, Wevers RA, Wokke JHJ, Gabriëls FJM, Wolthers BG, Heuvel LPWJ van den: Exon skipping in the sterol 27-hydroxylase gene leads to cerebrotendinous xanthomatosis 284
- Vetter U → Booms P
- Vieten L → Lux A
- Vignetti P → Battiloro E
- Vilageliu L → Cormand B
- Villa MP → Milà M
- Villiers JNP de → Kotze MJ
- Vogel F → Huang S
- Vosse E van de → Oosterwijk JC
- Vreken P, Van Kuilenburg ABP, Meisma R, De Abreu RA, Van Gennip AH: Identification of a four-base deletion (delTCAT<sub>296-299</sub>) in the dihydropyrimidine dehydrogenase gene with variable clinical expression 263
- Vuust J → Allan Larsen L
- Wadelius C → Sillén A
- Wainwright BJ → Lench NJ
- Wallace DC → Lell JT
- Walon C, Kartheuser A, Michils G, Smaers M, Lannoy N, Ngounou P, Mertens G, Verellen-Dumoulin C: Novel germline mutations in the APC gene and their phenotypic spectrum in familial adenomatous polyposis kindreds 601
- Wang S-M → Ko Y-L
- Wang W-S → Chang J-G
- Wang Y, Friedl W, Lamberti C, Ruelfs C, Kruse R, Propping P: Hereditary non-polyposis colorectal cancer: causative role of a germline missense mutation in the hMLH1 gene confirmed by the independent occurrence of the same somatic mutation in tumour tissue 362
- Wapner RJ → Zheng Y-L
- Ward DE → Roessler E
- Watanabe K → Kimpara T
- Watanabe M → Kimpara T
- Wedekind H → Schulze-Bahr E
- Weg-Remers S, Brenden M, Schwarz E, Witzel K, Schneider PM, Guerra LK, Rehfeldt IR, Lima MT, Hartmann D, Petzl-Erler ML, Messias JTT de, Mauff G: Major histocompatibility complex (MHC) class III genetics in two Amerindian tribes from Southern Brazil: The Kaingang and the Guarani 548
- Weirich HG → Duba H-C
- Weirich-Schwaiger H → Duba H-C
- Weiss B → Rao E
- Weiss L → Wolff DJ
- Wellens HJJ → Berg MH van den
- Welter C → Seifert M
- Wessel K → Zühlke C
- Wevers RA → Verris A
- Wewrick R → Lee C
- White W → Wolff DJ
- Wicking C → Lench NJ
- Wieacker P → Kloos D-U
- Wieczorek D → Dörk T
- Wielen M van der → Harteveld KL
- Wielen MJR van der → Oosterwijk JC
- Wienberg J → Müller S
- Wienker T → Kloos D-U
- Wiesmann U → Kleinle S
- Wilde AAM → Berg MH van den
- Willard HF → Wolff DJ
- Williams JM → Zheng Y-L
- Williams ME → Taviaux S
- Wilson MR, Polansky D, Replogle J, DiZinno JA, Budowle B: A family exhibiting heteroplasmy in the human mitochondrial DNA control region reveals both somatic mosaicism and pronounced segregation of mitotypes 167
- Winde G → Nimmrich I
- Winterpacht A → Wüchner C
- Wirth B, Tessarolo D, Hahnen E, Rudnik-Schöneborn S, Raschke H, Liguori M, Giacanelli M, Zerres K: Different entities of proximal spinal muscular atrophy within one family 676
- Withers AP → Booms P
- Witzel K → Weg-Remers S
- Wokke JHJ → Verris A
- Wolf U: Identical mutations and phenotypic variation 305
- Wolff DJ, Gustashaw KM, Zurcher V, Ko L, White W, Weiss L, Van Dyke DL, Schwartz S, Willard HF: Deletions in Xq26.3-q27.3 including FMR1 result in a severe phenotype in a male and variable phenotypes in females depending upon the X inactivation pattern 256
- Wolff G → Kloos D-U
- Wollmann HA → Eggemann T
- Wolthers BG → Verris A
- Wu H-M → Hsieh M
- Wu S-M → Ko Y-L
- Wüchner C, Hilbert K, Zabel B, Winterpacht A: Human fibroblast growth factor receptor 3 gene (FGFR3): genomic



sequence and primer set information for  
gene analysis 215

Xin Z → Hatada I

Yamabe Y → Matsumoto T

Yamashita K → Odawara M

Yamashita Y → Furuya H

Yang C-Y → Hsieh M

Yang DR → Hirschhorn R

Yang T-Y → Chang J-G

Yaouanq J → Jouanolle AM

Zabel B → Wüchner C

Zenteno JC, López M, Vera C, Méndez  
JP, Kofman-Alfaro S: Two *SRY*-nega-

tive XX male brothers without genital  
ambiguity 606

Zerres K → Wirth B

Zhen DK → Zheng Y-L

Zheng Y-L, Zhen DK, DeMaria MA,  
Berry SM, Wapner RJ, Evans MI,  
Copeland D, Williams JM, Bianchi DW:  
Search for the optimal fetal cell anti-  
body: results of immunophenotyping  
studies using flow cytometry 35

Zhuyu → Huang S

Zschocke J, Mallory JP, Eiken HG, Nevin  
NC: Phenylketonuria and the peoples of  
Northern Ireland 189

Zühlke C, Hellenbroich Y, Schaaff F,  
Gehlken U, Wessel K, Schubert T,

Cervos-Navarro J, Pickartz H,  
Schwinger E: CAG repeat analyses  
in frozen and formalin-fixed tissues  
following primer extension preampli-  
fication for evaluation of mitotic insta-  
bility of expanded SCA1 alleles 339

Zurcher V → Wolff DJ

*Announcements* 148, 290, 489, 685

Indexed in *Current Contents*  
and *Index Medicus*



